- (3) A deferred donor who showed evidence of infection due to hepatitis B surface antigen (HBsAg) when previously tested under §610.40(a), (b), and (e) subsequently may donate Source Plasma for use in the preparation of Hepatitis B Immune Globulin (Human) provided the current donation tests nonreactive for HBsAg and the donor is otherwise determined to be suitable:
- (4) A deferred donor, who otherwise is determined to be suitable for donation and tests reactive for anti-HBc or for evidence of infection due to HTLV, types I and II, may serve as a donor of Source Plasma;
- (5) A deferred donor who tests reactive for a communicable disease agent(s) described under §610.40(a) or reactive with a serological test for syphilis under §610.40(i), may serve as an autologous donor under §610.40(d).
- (b) A deferred donor subsequently may be found to be suitable as a donor of blood or blood components by a requalification method or process found acceptable for such purposes by FDA. Such a donor is considered no longer deferred.

[66 FR 31164, June 11, 2001]

§ 610.42 Restrictions on use for further manufacture of medical devices.

- (a) In addition to labeling requirements in subchapter H of this chapter, when a medical device contains human blood or a blood component as a component of the final device, and the human blood or blood component was found to be reactive by a screening test performed under §610.40(a) and (b) or reactive for syphilis under §610.40(i), then you must include in the device labeling a statement of warning indicating that the product was manufactured from a donation found to be reactive by a screening test for evidence of infection due to the identified communicable disease agent(s).
- (b) FDA may approve an exception or alternative to the statement of warning required in paragraph (a) of this section based on evidence that the reactivity of the human blood or blood component in the medical device presents no significant health risk through use of the medical device.

[66 FR 31164, June 11, 2001]

§ 610.44 Use of reference panels by manufacturers of test kits.

- (a) When available and appropriate to verify acceptable sensitivity and specificity, you, a manufacturer of test kits, must use a reference panel you obtain from FDA or from an FDA designated source to test lots of the following products. You must test each lot of the following products, unless FDA informs you that less frequent testing is appropriate, based on your consistent prior production of products of acceptable sensitivity and specificity:
- (1) A test kit approved for use in testing donations of human blood and blood components for evidence of infection due to communicable disease agents listed in §610.40(a); and
- (2) Human immunodeficiency virus (HIV) test kit approved for use in the diagnosis, prognosis, or monitoring of this communicable disease agent.
- (b) You must not distribute a lot that is found to be not acceptable for sensitivity and specificity under §610.44(a). FDA may approve an exception or alternative to this requirement. Applicants must submit such requests in writing. However, in limited circumstances, such requests may be made orally and permission may be given orally by FDA. Oral requests and approvals must be promptly followed by written requests and written approvals.

[66 FR 31164, June 11, 2001]

§610.46 "Lookback" requirements.

(a) Quarantine and notification. (1) All blood and plasma establishments are required to take appropriate action when a donor of Whole Blood, blood components, Source Plasma Source Leukocytes tests repeatedly reactive for antibody to human immunodeficiency virus (HIV), or otherwise is determined to be unsuitable when tested in accordance with §610.45. For Whole Blood, blood components, Source Plasma and Source Leukocytes collected from that donor within the 5 years prior to the repeatedly reactive test, if intended for transfusion, or collected within the 6 months prior to the repeatedly reactive test, if intended for further manufacture into injectable products, except those products exempt